



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
4	CPA	Corner post assembly	D1, D4
5	CPA	Corner post assembly	F1, F4
5	CPA	Corner post assembly	F1, F4
5	CPA	Corner post assembly	F1, F4
5	CPA	Corner post assembly	F1, F4
5	CPA	Corner post assembly	F1, F4
5	CPA	Corner post assembly	F1, F4
5	CPA	Corner post assembly	F1, F4
5	CPA	Corner post assembly	F1, F4
5	CPA	Corner post assembly	F1, F4
5	CPA	Corner post assembly	F1, F4
6	CPI	Corner post inner piece	D1, D4
6	CPI	Corner post inner piece	D1, D4
6	CPI	Corner post inner piece	D1, D4
6	CPI	Corner post inner piece	D1, D4
6	CPI	Corner post inner piece	D1, D4
6	CPI	Corner post inner piece	D1, D4
6	CPI	Corner post inner piece	D1, D4
6	CPI	Corner post inner piece	D1, D4
6	CPI	Corner post inner piece	D1, D4
7	CPJ	Corner post J-bar	D1, D4
7	CPJ	Corner post J-bar	D1, D4
7	CPJ	Corner post J-bar	D1, D4
7	CPJ	Corner post J-bar	D1, D4
7	CPJ	Corner post J-bar	D1, D4
7	CPJ	Corner post J-bar	D1, D4
7	CPJ	Corner post J-bar	D1, D4
7	CPJ	Corner post J-bar	D1, D4
8	CPL	Corner post hinge lug	D1, D4
8	CPL	Corner post hinge lug	D1, D4
8	CPL	Corner post hinge lug	D1, D4
8	CPL	Corner post hinge lug	D1, D4
8	CPL	Corner post hinge lug	D1, D4
8	CPL	Corner post hinge lug	D1, D4
8	CPL	Corner post hinge lug	D1, D4
9	CPO	Corner post outer piece	D1, D4
9	CPO	Corner post outer piece	D1, D4
9	CPO	Corner post outer piece	D1, D4
9	CPO	Corner post outer piece	D1, D4
9	CPO	Corner post outer piece	D1, D4
9	CPO	Corner post outer piece	D1, D4
9	CPO	Corner post outer piece	D1, D4
9	CPO	Corner post outer piece	D1, D4
9	CPO	Corner post outer piece	D1, D4
10	CPR	Corner post reinforcement	F1, F4



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
15	DHL	Door handle lock assembly	D2,D3
16	DHR	Door handle retainer	D2,D3
16	DHR	Door handle retainer	D2,D3
16	DHR	Door handle retainer	D2,D3
16	DHR	Door handle retainer	D2,D3
16	DHR	Door handle retainer	D2,D3
16	DHR	Door handle retainer	D2,D3
16	DHR	Door handle retainer	D2,D3
16	DHR	Door handle retainer	D2,D3
16	DHR	Door handle retainer	D2,D3
16	DHR	Door handle retainer	D2,D3
17	DPL	Door stop or slam (security) plate	D2,D3
17	DPL	Door stop or slam (security) plate	D2,D3
17	DPL	Door stop or slam (security) plate	D2,D3
17	DPL	Door stop or slam (security) plate	D2,D3
17	DPL	Door stop or slam (security) plate	D2,D3
17	DPL	Door stop or slam (security) plate	D2,D3
17	DPL	Door stop or slam (security) plate	D2,D3
17	DPL	Door stop or slam (security) plate	D2,D3
17	DPL	Door stop or slam (security) plate	D2,D3
17	DPL	Door stop or slam (security) plate	D2,D3
18	DRH	Door chain hook	LG1, RG1
18	DRH	Door chain hook	LG1, RG1
18	DRH	Door chain hook	LG1, RG1
18	DRH	Door chain hook	LG1, RG1
18	DRH	Door chain hook	LG1, RG1
18	DRH	Door chain hook	LG1, RG1
18	DRH	Door chain hook	LG1, RG1
18	DRH	Door chain hook	LG1, RG1
18	DRH	Door chain hook	LG1, RG1
18	DRH	Door chain hook	LG1, RG1
19	DRT	Door retainer - holdback cord/cable	DB2,DB3
19	DRT	Door retainer - holdback cord/cable	DB2,DB3
19	DRT	Door retainer - holdback cord/cable	DB2,DB3
19	DRT	Door retainer - holdback cord/cable	DB2,DB3
19	DRT	Door retainer - holdback cord/cable	DB2,DB3
20	DSB	Door Stiffeners-Bottom Edge	DB2,DB3
20	DSB	Door Stiffeners-Bottom Edge	DB2,DB3
20	DSB	Door Stiffeners-Bottom Edge	DB2,DB3
20	DSB	Door Stiffeners-Bottom Edge	DB2,DB3
20	DSB	Door Stiffeners-Bottom Edge	DB2,DB3
20	DSB	Door Stiffeners-Bottom Edge	DB2,DB3
20	DSB	Door Stiffeners-Bottom Edge	DB2,DB3
20	DSB	Door Stiffeners-Bottom Edge	DB2,DB3
21	DSC	Door Stiffener centreline edge	D2,D3
21	DSC	Door Stiffener centreline edge	D2,D3
21	DSC	Door Stiffener centreline edge	D2,D3
21	DSC	Door Stiffener centreline edge	D2,D3



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
26	FLB	Laminated planks	B
26	FLB	Laminated planks	B
26	FLB	Laminated planks	B
26	FLB	Laminated planks	B
26	FLB	Laminated planks	B
26	FLB	Laminated planks	B
26	FLB	Laminated planks	B
26	FLB	Laminated planks	B
26	FLB	Laminated planks	B
26	FLB	Laminated planks	B
26	FLB	Laminated planks	B
26	FLB	Laminated planks	B
27	FLP	Forklift pocket top plate	UX
27	FLP	Forklift pocket top plate	UX
27	FLP	Forklift pocket top plate	UX
27	FLP	Forklift pocket top plate	UX
27	FLP	Forklift pocket top plate	UX
27	FLP	Forklift pocket top plate	UX
27	FLP	Forklift pocket top plate	UX
27	FLP	Forklift pocket top plate	UX
27	FLP	Forklift pocket top plate	UX
27	FLP	Forklift pocket top plate	UX
28	FLS	Forklift pocket strap	UL, UR
28	FLS	Forklift pocket strap	UL, UR
28	FLS	Forklift pocket strap	UL, UR
28	FLS	Forklift pocket strap	UL, UR
28	FLS	Forklift pocket strap	UL, UR
28	FLS	Forklift pocket strap	UL, UR
28	FLS	Forklift pocket strap	UL, UR
28	FLS	Forklift pocket strap	UL, UR
28	FLS	Forklift pocket strap	UL, UR
28	FLS	Forklift pocket strap	UL, UR
29	FLT	Forklift pocket whole side	UX
29	FLT	Forklift pocket whole side	UX
29	FLT	Forklift pocket whole side	UX
29	FLT	Forklift pocket whole side	UX
29	FLT	Forklift pocket whole side	UX
29	FLT	Forklift pocket whole side	UX
29	FLT	Forklift pocket whole side	UX
29	FLT	Forklift pocket whole side	UX
29	FLT	Forklift pocket whole side	UX
29	FLT	Forklift pocket whole side	UX
29	FLT	Forklift pocket whole side	UX
29	FLT	Forklift pocket whole side	UX
29	FLT	Forklift pocket whole side	UX
29	FLT	Forklift pocket whole side	UX
29	FLT	Forklift pocket whole side	UX
30	FLW	Forklift pocket web	U
30	FLW	Forklift pocket web	U
30	FLW	Forklift pocket web	U



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
34	GRS	Gasket retainer strip	D2, D3
34	GRS	Gasket retainer strip	D2, D3
34	GRS	Gasket retainer strip	D2, D3
34	GRS	Gasket retainer strip	D2, D3
34	GRS	Gasket retainer strip	D2, D3
34	GRS	Gasket retainer strip	D2, D3
34	GRS	Gasket retainer strip	D2, D3
34	GRS	Gasket retainer strip	D2, D3
35	GTA	Gasket assembly	D2, D3
35	GTA	Gasket assembly	D2, D3
35	GTA	Gasket assembly	D2, D3
35	GTA	Gasket assembly	D2, D3
35	GTA	Gasket assembly	D2, D3
35	GTA	Gasket assembly	D2, D3
35	GTA	Gasket assembly	D2, D3
35	GTA	Gasket assembly	D2, D3
36	HEP	Header extension plate	T
36	HEP	Header extension plate	T
36	HEP	Header extension plate	T
36	HEP	Header extension plate	T
36	HEP	Header extension plate	T
36	HEP	Header extension plate	T
36	HEP	Header extension plate	T
36	HEP	Header extension plate	T
36	HEP	Header extension plate	T
36	HEP	Header extension plate	T
37	HGA	Hinge assembly	D
37	HGA	Hinge assembly	D
37	HGA	Hinge assembly	D
38	HGB	Hinge blade	D
38	HGB	Hinge blade	D
38	HGB	Hinge blade	D
38	HGB	Hinge blade	D
38	HGB	Hinge blade	D
38	HGB	Hinge blade	D
38	HGB	Hinge blade	D
38	HGB	Hinge blade	D
38	HGB	Hinge blade	D
38	HGB	Hinge blade	D
39	HGP	Hinge pin	D
39	HGP	Hinge pin	D
39	HGP	Hinge pin	D
39	HGP	Hinge pin	D
39	HGP	Hinge pin	D
39	HGP	Hinge pin	D
39	HGP	Hinge pin	D
39	HGP	Hinge pin	D
39	HGP	Hinge pin	D
40	HWH	Hardware -Huckbolts	D2,D3



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
40	HWH	Hardware -Huckbolts	D2,D3
40	HWH	Hardware -Huckbolts	D2,D3
40	HWH	Hardware -Huckbolts	D2,D3
40	HWH	Hardware -Huckbolts	D2,D3
41	HWR	Hardware	D2,D3
41	HWR	Hardware	D2,D3
41	HWR	Hardware	D2,D3
41	HWR	Hardware	D2,D3
41	HWR	Hardware	D2,D3
42	LBA	Locking bar assembly	D2,D3
42	LBA	Locking bar assembly	D2,D3
43	LBB	Locking bar bracket	D2,D3
43	LBB	Locking bar bracket	D2,D3
43	LBB	Locking bar bracket	D2,D3
43	LBB	Locking bar bracket	D2,D3
43	LBB	Locking bar bracket	D2,D3
43	LBB	Locking bar bracket	D2,D3
43	LBB	Locking bar bracket	D2,D3
43	LBB	Locking bar bracket	D2,D3
43	LBB	Locking bar bracket	D2,D3
44	LBC	Locking bar cam	D2,D3
44	LBC	Locking bar cam	D2,D3
44	LBC	Locking bar cam	D2,D3
44	LBC	Locking bar cam	D2,D3
44	LBC	Locking bar cam	D2,D3
44	LBC	Locking bar cam	D2,D3
44	LBC	Locking bar cam	D2,D3
44	LBC	Locking bar cam	D2,D3
44	LBC	Locking bar cam	D2,D3
45	LBG	Locking bar guide	D2,D3
45	LBG	Locking bar guide	D2,D3
45	LBG	Locking bar guide	D2,D3
45	LBG	Locking bar guide	D2,D3
45	LBG	Locking bar guide	D2,D3
45	LBG	Locking bar guide	D2,D3
45	LBG	Locking bar guide	D2,D3
45	LBG	Locking bar guide	D2,D3
45	LBG	Locking bar guide	D2,D3
46	LBH	Locking bar handle	D2,D3
46	LBH	Locking bar handle	D2,D3
46	LBH	Locking bar handle	D2,D3
46	LBH	Locking bar handle	D2,D3
46	LBH	Locking bar handle	D2,D3
46	LBH	Locking bar handle	D2,D3
46	LBH	Locking bar handle	D2,D3
46	LBH	Locking bar handle	D2,D3
46	LBH	Locking bar handle	D2,D3
46	LBH	Locking bar handle	D2,D3
47	LBL	Locking bar lug	D2,D3
47	LBL	Locking bar lug	D2,D3
47	LBL	Locking bar lug	D2,D3



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
47	LBL	Locking bar lug	D2,D3
47	LBL	Locking bar lug	D2,D3
47	LBL	Locking bar lug	D2,D3
47	LBL	Locking bar lug	D2,D3
48	LBR	Locking bar rod (tube)	D2,D3
48	LBR	Locking bar rod (tube)	D2,D3
48	LBR	Locking bar rod (tube)	D2,D3
48	LBR	Locking bar rod (tube)	D2,D3
48	LBR	Locking bar rod (tube)	D2,D3
48	LBR	Locking bar rod (tube)	D2,D3
48	LBR	Locking bar rod (tube)	D2,D3
49	LHH	Locking bar handle hub	D2,D3
49	LHH	Locking bar handle hub	D2,D3
49	LHH	Locking bar handle hub	D2,D3
49	LHH	Locking bar handle hub	D2,D3
49	LHH	Locking bar handle hub	D2,D3
49	LHH	Locking bar handle hub	D2,D3
49	LHH	Locking bar handle hub	D2,D3
50	LSB	Lashing bar	D,F
50	LSB	Lashing bar	D,F
50	LSB	Lashing bar	D,F
50	LSB	Lashing bar	D,F
50	LSB	Lashing bar	D,F
50	LSB	Lashing bar	D,F
50	LSB	Lashing bar	D,F
50	LSB	Lashing bar	D,F
50	LSB	Lashing bar	D,F
51	LSR	Lashing ring	D,F,L,R
51	LSR	Lashing ring	D,F,L,R
51	LSR	Lashing ring	D,F,L,R
51	LSR	Lashing ring	D,F,L,R
51	LSR	Lashing ring	D,F,L,R
51	LSR	Lashing ring	D,F,L,R
51	LSR	Lashing ring	D,F,L,R
51	LSR	Lashing ring	D,F,L,R
52	MCE	ACEP marking	D2,D3
52	MCE	ACEP marking	D2,D3
53	MCH	Height caution marking	D,F,L,R
53	MCH	Height caution marking	D,F,L,R
53	MCH	Height caution marking	D,F,L,R
53	MCH	Height caution marking	D,F,L,R
53	MCH	Height caution marking	D,F,L,R
53	MCH	Height caution marking	D,F,L,R
54	MCO	Cargo container	XXXX



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
80	TUB	Tunnel Bolster	U
80	TUB	Tunnel Bolster	U
80	TUB	Tunnel Bolster	U
80	TUB	Tunnel Bolster	U
81	TUC	Tunnel stiffener (crossmember)	U
81	TUC	Tunnel stiffener (crossmember)	U
81	TUC	Tunnel stiffener (crossmember)	U
81	TUC	Tunnel stiffener (crossmember)	U
81	TUC	Tunnel stiffener (crossmember)	U
81	TUC	Tunnel stiffener (crossmember)	U
81	TUC	Tunnel stiffener (crossmember)	U
81	TUC	Tunnel stiffener (crossmember)	U
81	TUC	Tunnel stiffener (crossmember)	U
81	TUC	Tunnel stiffener (crossmember)	U
81	TUC	Tunnel stiffener (crossmember)	U
82	TUP	Tunnel Plate	U
82	TUP	Tunnel Plate	U
82	TUP	Tunnel Plate	U
82	TUP	Tunnel Plate	U
82	TUP	Tunnel Plate	U
82	TUP	Tunnel Plate	U
82	TUP	Tunnel Plate	U
82	TUP	Tunnel Plate	U
82	TUP	Tunnel Plate	U
82	TUP	Tunnel Plate	U
82	TUP	Tunnel Plate	U
82	TUP	Tunnel Plate	U
83	VRA	Ventilator assembly	D,F,L,R
83	VRA	Ventilator assembly	D,F,L,R
83	VRA	Ventilator assembly	D,F,L,R
83	VRA	Ventilator assembly	D,F,L,R
83	VRA	Ventilator assembly	D,F,L,R
83	VRA	Ventilator assembly	D,F,L,R
83	VRA	Ventilator assembly	D,F,L,R
83	VRA	Ventilator assembly	D,F,L,R
83	VRA	Ventilator assembly	D,F,L,R

Count of Code Combinations.



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------



ICL - Equipment Code Standards - "ECS" - DRY VAN CONTAINERS

#	Component Code	Component Code Description	Location
---	----------------	----------------------------	----------

Revised: May 15, 2022

Damage Code	Damage Code Description	Repair Codes
BR	Broken/Split	RP, Replace
CD	Consequential/ Combined Damage	RA, Realign
CK	Cracked	RP, Replace
CO	Corroded/ Rusty	RP, Replace
CU	Cut	RP, Replace
DT	Dent / Bent	RP, Replace
IR	Improper / Non-conforming repair	WD, Weld
ME	Existing Manufacturing Defect	WD, Weld
MX	Misuse(IICL TB 018)	RP, Replace
NI	Not within ISO dimensions	RP, Replace
BW	Bowed	IT, Insert
CD	Consequential/ Combined Damage	GS, Straighten
CK	Cracked	GW, Straighten and weld
CO	Corroded/ Rusty	IT, Insert
CT	Contaminated	PS, Surface Prep and paint
CU	Cut	GW, Straighten and weld
DT	Dent / Bent	GS, Straighten
IR	Improper / Non-conforming repair	GS, Straighten
ME	Existing Manufacturing Defect	PS, Surface Prep and paint
MS	Missing / Lost	RP, Replace
MX	Misuse(IICL TB 018)	IT, Insert
NI	Not within ISO dimensions	IT, Insert
BW	Bowed	IT, Insert
CD	Consequential/ Combined Damage	GS, Straighten
CK	Cracked	GW, Straighten and weld
CO	Corroded/ Rusty	IT, Insert
CT	Contaminated	PS, Surface Prep and paint
CU	Cut	GW, Straighten and weld
DT	Dent / Bent	GS, Straighten
IR	Improper / Non-conforming repair	GS, Straighten
ME	Existing Manufacturing Defect	PS, Surface Prep and paint
MS	Missing / Lost	RP, Replace
MX	Misuse(IICL TB 018)	IT, Insert
NI	Not within ISO dimensions	IT, Insert
CD	Consequential/ Combined Damage	GS, Straighten
CK	Cracked	GW, Straighten and weld
CO	Corroded/ Rusty	IT, Insert
CU	Cut	GW, Straighten and weld
DT	Dent / Bent	GS, Straighten
HO	Holed	GW, Straighten and weld
IR	Improper / Non-conforming repair	GS, Straighten
ME	Existing Manufacturing Defect	PS, Surface Prep and paint
MX	Misuse(IICL TB 018)	GS, Straighten

Revised: May 15, 2022

Damage Code	Damage Code Description	Repair Codes
NI	Not within ISO dimensions	GS, Straighten
CD	Consequential/ Combined Damage	GS, Straighten
CK	Cracked	GW, Straighten and weld
CO	Corroded/ Rusty	IT, Insert
CU	Cut	GW, Straighten and weld
DT	Dent / Bent	GS, Straighten
HO	Holed	GW, Straighten and weld
IR	Improper / Non-conforming repair	GS, Straighten
ME	Existing Manufacturing Defect	PS, Surface Prep and paint
MX	Misuse(IICL TB 018)	GS, Straighten
NI	Not within ISO dimensions	GS, Straighten
CD	Consequential/ Combined Damage	GS, Straighten
CK	Cracked	GW, Straighten and weld
CO	Corroded/ Rusty	PS, Surface Prep and paint
CU	Cut	GW, Straighten and weld
DT	Dent / Bent	GS, Straighten
HO	Holed	GW, Straighten and weld
IR	Improper / Non-conforming repair	GS, Straighten
ME	Existing Manufacturing Defect	PS, Surface Prep and paint
CD	Consequential/ Combined Damage	GS, Straighten
CK	Cracked	GW, Straighten and weld
CO	Corroded/ Rusty	IT, Insert
CU	Cut	GW, Straighten and weld
DT	Dent / Bent	GS, Straighten
IR	Improper / Non-conforming repair	GS, Straighten
ME	Existing Manufacturing Defect	GW, Straighten and weld
NI	Not within ISO dimensions	GS, Straighten
CD	Consequential/ Combined Damage	GS, Straighten
CK	Cracked	GW, Straighten and weld
CO	Corroded/ Rusty	IT, Insert
CU	Cut	GW, Straighten and weld
DT	Dent / Bent	GS, Straighten
IR	Improper / Non-conforming repair	GW, Straighten and weld
ME	Existing Manufacturing Defect	GW, Straighten and weld
CD	Consequential/ Combined Damage	GS, Straighten
CK	Cracked	GW, Straighten and weld
CO	Corroded/ Rusty	IT, Insert
CU	Cut	GW, Straighten and weld
DT	Dent / Bent	GS, Straighten
HO	Holed	GW, Straighten and weld
IR	Improper / Non-conforming repair	GS, Straighten
ME	Existing Manufacturing Defect	PS, Surface Prep and paint
CD	Consequential/ Combined Damage	GS, Straighten

Revised: May 15, 2022

Damage Code	Damage Code Description	Repair Codes
CK	Cracked	GW, Straighten and weld
CO	Corroded/ Rusty	PS, Surface Prep and paint
CU	Cut	GW, Straighten and weld
DT	Dent / Bent	GS, Straighten
HO	Holed	GW, Straighten and weld
IR	Improper / Non-conforming repair	GS, Straighten
ME	Existing Manufacturing Defect	GW, Straighten and weld
CD	Consequential/ Combined Damage	RA, Realign
CO	Corroded/ Rusty	PS, Surface Prep and paint
DT	Dent / Bent	RP, Replace
IR	Improper / Non-conforming repair	FR, Free-up / includ. lubricate
ME	Existing Manufacturing Defect	PS, Surface Prep and paint
MX	Misuse(IICL TB 018)	CC, Chemical clean
BN	Burned	PS, Surface Prep and paint
CO	Corroded/ Rusty	PS, Surface Prep and paint
CT	Contaminated	CC, Chemical clean
DT	Dent / Bent	RP, Replace
IR	Improper / Non-conforming repair	FR, Free-up / includ. lubricate
ME	Existing Manufacturing Defect	PS, Surface Prep and paint
MS	Missing / Lost	IN, Install
MX	Misuse(IICL TB 018)	GS, Straighten
FZ	Frozen / Seized	FR, Free-up / includ. lubricate
CD	Consequential/ Combined Damage	GS, Straighten
DT	Dent / Bent	GS, Straighten
IR	Improper / Non-conforming repair	GS, Straighten
CD	Consequential/ Combined Damage	GS, Straighten
CK	Cracked	RP, Replace
CO	Corroded/ Rusty	RP, Replace
CU	Cut	RP, Replace
DT	Dent / Bent	GS, Straighten
IR	Improper / Non-conforming repair	RE, Resecure
LO	Loose	RE, Resecure
ME	Existing Manufacturing Defect	RE, Resecure
MS	Missing / Lost	RP, Replace
CD	Consequential/ Combined Damage	GS, Straighten
CK	Cracked	RP, Replace
CO	Corroded/ Rusty	RP, Replace
CU	Cut	RP, Replace
DT	Dent / Bent	GS, Straighten
IR	Improper / Non-conforming repair	GS, Straighten
LO	Loose	RE, Resecure
ME	Existing Manufacturing Defect	RE, Resecure
MS	Missing / Lost	RP, Replace

Revised: May 15, 2022

Damage Code	Damage Code Description	Repair Codes
RA	Remove For Access	RR, Remove and refit after repair
CD	Consequential/ Combined Damage	GS, Straighten
CK	Cracked	RP, Replace
CO	Corroded/ Rusty	RP, Replace
CU	Cut	RP, Replace
DT	Dent / Bent	GS, Straighten
IR	Improper / Non-conforming repair	GS, Straighten
LO	Loose	RE, Resecure
ME	Existing Manufacturing Defect	RP, Replace
MS	Missing / Lost	RP, Replace
CD	Consequential/ Combined Damage	GS, Straighten
CK	Cracked	WD, Weld
CO	Corroded/ Rusty	RP, Replace
CU	Cut	GW, Straighten and weld
DT	Dent / Bent	GS, Straighten
IR	Improper / Non-conforming repair	GS, Straighten
ME	Existing Manufacturing Defect	WD, Weld
MS	Missing / Lost	RP, Replace
RA	Remove For Access	RR, Remove and refit after repair
CD	Consequential/ Combined Damage	RP, Replace
CK	Cracked	RP, Replace
CO	Corroded/ Rusty	RP, Replace
CU	Cut	RP, Replace
DT	Dent / Bent	GS, Straighten
IR	Improper / Non-conforming repair	WD, Weld
ME	Existing Manufacturing Defect	WD, Weld
MS	Missing / Lost	RP, Replace
CD	Consequential/ Combined Damage	RP, Replace
CU	Cut	RP, Replace
IR	Improper / Non-conforming repair	RP, Replace
ME	Existing Manufacturing Defect	RP, Replace
MS	Missing / Lost	RP, Replace
CD	Consequential/ Combined Damage	GS, Straighten
CK	Cracked	GW, Straighten and weld
CO	Corroded/ Rusty	IT, Insert
CU	Cut	GW, Straighten and weld
DT	Dent / Bent	GS, Straighten
IR	Improper / Non-conforming repair	GS, Straighten
ME	Existing Manufacturing Defect	PS, Surface Prep and paint
CD	Consequential/ Combined Damage	GS, Straighten
CK	Cracked	GW, Straighten and weld
CO	Corroded/ Rusty	IT, Insert
CU	Cut	GW, Straighten and weld

Revised: May 15, 2022

Damage Code	Damage Code Description	Repair Codes
DT	Dent / Bent	GS, Straighten
IR	Improper / Non-conforming repair	GS, Straighten
ME	Existing Manufacturing Defect	PS, Surface Prep and paint
CD	Consequential/ Combined Damage	GS, Straighten
CK	Cracked	GW, Straighten and weld
CO	Corroded/ Rusty	IT, Insert
CU	Cut	GW, Straighten and weld
DT	Dent / Bent	GS, Straighten
IR	Improper / Non-conforming repair	GS, Straighten
ME	Existing Manufacturing Defect	PS, Surface Prep and paint
CD	Consequential/ Combined Damage	GS, Straighten
CK	Cracked	GW, Straighten and weld
CO	Corroded/ Rusty	IT, Insert
CU	Cut	GW, Straighten and weld
DT	Dent / Bent	GS, Straighten
IR	Improper / Non-conforming repair	GS, Straighten
ME	Existing Manufacturing Defect	PS, Surface Prep and paint
CD	Consequential/ Combined Damage	GS, Straighten
CK	Cracked	GW, Straighten and weld
CO	Corroded/ Rusty	IT, Insert
CU	Cut	GW, Straighten and weld
DT	Dent / Bent	GS, Straighten
IR	Improper / Non-conforming repair	GS, Straighten
ME	Existing Manufacturing Defect	GW, Straighten and weld
BW	Bowed	IT, Insert
CD	Consequential/ Combined Damage	GS, Straighten
CK	Cracked	GW, Straighten and weld
CO	Corroded/ Rusty	IT, Insert
CT	Contaminated	PS, Surface Prep and paint
CU	Cut	GW, Straighten and weld
DT	Dent / Bent	GS, Straighten
IR	Improper / Non-conforming repair	GS, Straighten
ME	Existing Manufacturing Defect	PS, Surface Prep and paint
MX	Misuse(IICL TB 018)	GS, Straighten
NI	Not within ISO dimensions	IT, Insert
BN	Burned	RP, Replace
BR	Broken/Split	RP, Replace
CD	Consequential/ Combined Damage	RE, Resecure
CT	Contaminated	CC, Chemical clean
DB	Debris / Dunnage	GT, Remove glue and tape
DL	Delaminated	RP, Replace
DY	Dirty	CC, Chemical clean
GD	Gouged / Scratched	RP, Replace

Revised: May 15, 2022

Damage Code	Damage Code Description	Repair Codes
HO	Holed	RP, Replace
IR	Improper / Non-conforming repair	MC, Mechanical Cleaning (Sweep, scrap off paint)
LO	Loose	RE, Resecure
ME	Existing Manufacturing Defect	RE, Resecure
LK	Leak	SE, Seal/reseal
MS	Missing / Lost	RP, Replace
MX	Misuse(IICL TB 018)	CC, Chemical clean
OL	Oil saturated	CC, Chemical clean
OR	Odour	CC, Chemical clean
OS	Oil Stains	CC, Chemical clean
RO	Rotted (floor)	RP, Replace
BW	Bowed	GS, Straighten
CD	Consequential/ Combined Damage	GS, Straighten
CK	Cracked	GW, Straighten and weld
CO	Corroded/ Rusty	RP, Replace
CU	Cut	GW, Straighten and weld
DT	Dent / Bent	GS, Straighten
IR	Improper / Non-conforming repair	GS, Straighten
ME	Existing Manufacturing Defect	WD, Weld
MX	Misuse(IICL TB 018)	GS, Straighten
CD	Consequential/ Combined Damage	GS, Straighten
CK	Cracked	GW, Straighten and weld
CO	Corroded/ Rusty	PS, Surface Prep and paint
CU	Cut	GW, Straighten and weld
DT	Dent / Bent	GS, Straighten
IR	Improper / Non-conforming repair	GW, Straighten and weld
ME	Existing Manufacturing Defect	PS, Surface Prep and paint
MS	Missing / Lost	RP, Replace
NI	Not within ISO dimensions	GS, Straighten
BW	Bowed	IT, Insert
CD	Consequential/ Combined Damage	GS, Straighten
CK	Cracked	GW, Straighten and weld
CO	Corroded/ Rusty	IT, Insert
CT	Contaminated	PS, Surface Prep and paint
CU	Cut	GW, Straighten and weld
DT	Dent / Bent	GS, Straighten
IR	Improper / Non-conforming repair	GS, Straighten
ME	Existing Manufacturing Defect	PS, Surface Prep and paint
MX	Misuse(IICL TB 018)	GS, Straighten
NI	Not within ISO dimensions	IT, Insert
BW	Bowed	GS, Straighten
CD	Consequential/ Combined Damage	GS, Straighten
CK	Cracked	GW, Straighten and weld

Revised: May 15, 2022

Damage Code	Damage Code Description	Repair Codes
CO	Corroded/ Rusty	PS, Surface Prep and paint
CU	Cut	GW, Straighten and weld
DT	Dent / Bent	GS, Straighten
IR	Improper / Non-conforming repair	GS, Straighten
ME	Existing Manufacturing Defect	PS, Surface Prep and paint
BN	Burned	RP, Replace
BR	Broken/Split	RP, Replace
CD	Consequential/ Combined Damage	RE, Resecure
CT	Contaminated	CC, Chemical clean
DB	Debris / Dunnage	GT, Remove glue and tape
DL	Delaminated	RP, Replace
DY	Dirty	CC, Chemical clean
GD	Gouged / Scratched	RP, Replace
HO	Holed	RP, Replace
IR	Improper / Non-conforming repair	MC, Mechanical Cleaning (Sweep, scrap off paint)
LO	Loose	RE, Resecure
ME	Existing Manufacturing Defect	RE, Resecure
LK	Leak	SE, Seal/reseal
MS	Missing / Lost	RP, Replace
MX	Misuse(IICL TB 018)	CC, Chemical clean
OL	Oil saturated	CC, Chemical clean
OR	Odour	CC, Chemical clean
OS	Oil Stains	CC, Chemical clean
RO	Rotted (floor)	RP, Replace
CD	Consequential/ Combined Damage	GS, Straighten
CK	Cracked	GW, Straighten and weld
CO	Corroded/ Rusty	IT, Insert
CU	Cut	GW, Straighten and weld
DT	Dent / Bent	GS, Straighten
IR	Improper / Non-conforming repair	GS, Straighten
ME	Existing Manufacturing Defect	RP, Replace
BN	Burned	CC, Chemical clean
CD	Consequential/ Combined Damage	GS, Straighten
CK	Cracked	GW, Straighten and weld
CO	Corroded/ Rusty	IT, Insert
CT	Contaminated	CC, Chemical clean
CU	Cut	GW, Straighten and weld
DT	Dent / Bent	GS, Straighten
IR	Improper / Non-conforming repair	GS, Straighten
ME	Existing Manufacturing Defect	PS, Surface Prep and paint
MX	Misuse(IICL TB 018)	GS, Straighten
BR	Broken/Split	RP, Replace
CD	Consequential/ Combined Damage	GS, Straighten

Revised: May 15, 2022

Damage Code	Damage Code Description	Repair Codes
CO	Corroded/ Rusty	RP, Replace
CU	Cut	RP, Replace
DT	Dent / Bent	GS, Straighten
IR	Improper / Non-conforming repair	GS, Straighten
LO	Loose	RE, Resecure
ME	Existing Manufacturing Defect	RP, Replace
MS	Missing / Lost	RP, Replace
CD	Consequential/ Combined Damage	IT, Insert
CU	Cut	IT, Insert
IR	Improper / Non-conforming repair	IT, Insert
LK	Leak	IT, Insert
LO	Loose	RE, Resecure
ME	Existing Manufacturing Defect	RP, Replace
MS	Missing / Lost	RP, Replace
CD	Consequential/ Combined Damage	GS, Straighten
CK	Cracked	GW, Straighten and weld
CO	Corroded/ Rusty	IT, Insert
CU	Cut	GW, Straighten and weld
DT	Dent / Bent	GS, Straighten
HO	Holed	GW, Straighten and weld
IR	Improper / Non-conforming repair	GS, Straighten
ME	Existing Manufacturing Defect	PS, Surface Prep and paint
NI	Not within ISO dimensions	GS, Straighten
CD	Consequential/ Combined Damage	RP, Replace
DT	Dent / Bent	RP, Replace
FZ	Frozen / Seized	FR, Free-up / includ. lubricate
CD	Consequential/ Combined Damage	GS, Straighten
CK	Cracked	GW, Straighten and weld
CO	Corroded/ Rusty	PS, Surface Prep and paint
CU	Cut	GW, Straighten and weld
DT	Dent / Bent	GS, Straighten
IR	Improper / Non-conforming repair	GS, Straighten
ME	Existing Manufacturing Defect	PS, Surface Prep and paint
RA	Remove For Access	RR, Remove and refit after repair
BR	Broken/Split	RP, Replace
CD	Consequential/ Combined Damage	RP, Replace
CO	Corroded/ Rusty	RP, Replace
FZ	Frozen / Seized	RP, Replace
IR	Improper / Non-conforming repair	RP, Replace
LO	Loose	WD, Weld
ME	Existing Manufacturing Defect	RP, Replace
MS	Missing / Lost	RP, Replace
BR	Broken/Split	RP, Replace

Revised: May 15, 2022

Damage Code	Damage Code Description	Repair Codes
CD	Consequential/ Combined Damage	RP, Replace
CO	Corroded/ Rusty	RP, Replace
IR	Improper / Non-conforming repair	RP, Replace
ME	Existing Manufacturing Defect	RP, Replace
BR	Broken/Split	RP, Replace
CD	Consequential/ Combined Damage	RE, Resecure
CO	Corroded/ Rusty	RP, Replace
IR	Improper / Non-conforming repair	RE, Resecure
ME	Existing Manufacturing Defect	RP, Replace
CD	Consequential/ Combined Damage	RP, Replace
ME	Existing Manufacturing Defect	RP, Replace
CD	Consequential/ Combined Damage	GS, Straighten
CO	Corroded/ Rusty	RP, Replace
CU	Cut	GW, Straighten and weld
DT	Dent / Bent	GS, Straighten
IR	Improper / Non-conforming repair	GS, Straighten
ME	Existing Manufacturing Defect	RP, Replace
RA	Remove For Access	RR, Remove and refit after repair
BR	Broken/Split	RP, Replace
CD	Consequential/ Combined Damage	GS, Straighten
CK	Cracked	RP, Replace
CO	Corroded/ Rusty	RP, Replace
DT	Dent / Bent	GS, Straighten
IR	Improper / Non-conforming repair	GS, Straighten
ME	Existing Manufacturing Defect	RP, Replace
CD	Consequential/ Combined Damage	GS, Straighten
CO	Corroded/ Rusty	RP, Replace
CU	Cut	GW, Straighten and weld
DT	Dent / Bent	GS, Straighten
IR	Improper / Non-conforming repair	GS, Straighten
ME	Existing Manufacturing Defect	RP, Replace
RA	Remove For Access	RR, Remove and refit after repair
CD	Consequential/ Combined Damage	RE, Resecure
CK	Cracked	RP, Replace
CO	Corroded/ Rusty	RP, Replace
CU	Cut	RP, Replace
DT	Dent / Bent	GS, Straighten
FZ	Frozen / Seized	FR, Free-up / includ. lubricate
IR	Improper / Non-conforming repair	FR, Free-up / includ. lubricate
ME	Existing Manufacturing Defect	RP, Replace
CD	Consequential/ Combined Damage	GS, Straighten
CK	Cracked	GW, Straighten and weld
CO	Corroded/ Rusty	RP, Replace

Revised: May 15, 2022

Damage Code	Damage Code Description	Repair Codes
CU	Cut	GW, Straighten and weld
DT	Dent / Bent	GS, Straighten
IR	Improper / Non-conforming repair	GS, Straighten
ME	Existing Manufacturing Defect	WD, Weld
CD	Consequential/ Combined Damage	GS, Straighten
CK	Cracked	GW, Straighten and weld
CO	Corroded/ Rusty	RP, Replace
CU	Cut	GW, Straighten and weld
DT	Dent / Bent	GS, Straighten
IR	Improper / Non-conforming repair	FR, Free-up / includ. lubricate
ME	Existing Manufacturing Defect	RP, Replace
CD	Consequential/ Combined Damage	RP, Replace
CK	Cracked	RP, Replace
CO	Corroded/ Rusty	RP, Replace
CU	Cut	RP, Replace
DT	Dent / Bent	RP, Replace
IR	Improper / Non-conforming repair	RP, Replace
ME	Existing Manufacturing Defect	RP, Replace
CD	Consequential/ Combined Damage	RP, Replace
CK	Cracked	GW, Straighten and weld
CO	Corroded/ Rusty	RP, Replace
CU	Cut	GW, Straighten and weld
DT	Dent / Bent	GS, Straighten
IR	Improper / Non-conforming repair	GW, Straighten and weld
ME	Existing Manufacturing Defect	WD, Weld
RA	Remove For Access	RR, Remove and refit after repair
CD	Consequential/ Combined Damage	GS, Straighten
CK	Cracked	GW, Straighten and weld
CO	Corroded/ Rusty	RP, Replace
CU	Cut	GW, Straighten and weld
DT	Dent / Bent	GS, Straighten
IR	Improper / Non-conforming repair	GS, Straighten
ME	Existing Manufacturing Defect	RP, Replace
MS	Missing / Lost	RP, Replace
MS	Missing / Lost	IN, Install
OD	Out-of-date	RM, Remove (without re-placement)
CD	Consequential/ Combined Damage	RP, Replace
CU	Cut	RP, Replace
IR	Improper / Non-conforming repair	RP, Replace
LO	Loose	RP, Replace
ME	Existing Manufacturing Defect	RP, Replace
MS	Missing / Lost	RP, Replace
BN	Burned	PS, Surface Prep and paint

Revised: May 15, 2022

Damage Code	Damage Code Description	Repair Codes
CO	Corroded/ Rusty	RC, Recondition/ refurbish
CT	Contaminated	RC, Recondition/ refurbish
MX	Misuse(IICL TB 018)	PS, Surface Prep and paint
BN	Burned	PS, Surface Prep and paint
CO	Corroded/ Rusty	PS, Surface Prep and paint
CT	Contaminated	CC, Chemical clean
DB	Debris / Dunnage	RD, Remove and dispose
DY	Dirty	CC, Chemical clean
GD	Gouged / Scratched	PS, Surface Prep and paint
ME	Existing Manufacturing Defect	RC, Recondition/ refurbish
ML	Markings/ Labels	GT, Remove glue and tape
MX	Misuse(IICL TB 018)	CC, Chemical clean
OR	Odour	CC, Chemical clean
BN	Burned	PS, Surface Prep and paint
CO	Corroded/ Rusty	PS, Surface Prep and paint
CT	Contaminated	CC, Chemical clean
DB	Debris / Dunnage	RD, Remove and dispose
DY	Dirty	WP, Sweep
GD	Gouged / Scratched	PS, Surface Prep and paint
ME	Existing Manufacturing Defect	RC, Recondition/ refurbish
ML	Markings/ Labels	GT, Remove glue and tape
MX	Misuse(IICL TB 018)	CC, Chemical clean
ML	Markings/ Labels	GT, Remove glue and tape
CD	Consequential/ Combined Damage	RP, Replace
CU	Cut	RP, Replace
IR	Improper / Non-conforming repair	RP, Replace
LO	Loose	RP, Replace
ME	Existing Manufacturing Defect	RP, Replace
MS	Missing / Lost	RP, Replace
CD	Consequential/ Combined Damage	RP, Replace
CU	Cut	RP, Replace
IR	Improper / Non-conforming repair	RP, Replace
LO	Loose	RP, Replace
ME	Existing Manufacturing Defect	RP, Replace
MS	Missing / Lost	RP, Replace
BN	Burned	RP, Replace
CD	Consequential/ Combined Damage	RP, Replace
CT	Contaminated	RP, Replace
CU	Cut	RP, Replace
IR	Improper / Non-conforming repair	RP, Replace
ME	Existing Manufacturing Defect	RP, Replace
MS	Missing / Lost	RP, Replace
BN	Burned	RP, Replace

Revised: May 15, 2022

Damage Code	Damage Code Description	Repair Codes
CD	Consequential/ Combined Damage	RP, Replace
CT	Contaminated	RP, Replace
CU	Cut	RP, Replace
IR	Improper / Non-conforming repair	RP, Replace
LO	Loose	RP, Replace
ME	Existing Manufacturing Defect	RP, Replace
MS	Missing / Lost	RP, Replace
BN	Burned	RP, Replace
CD	Consequential/ Combined Damage	RP, Replace
CT	Contaminated	RP, Replace
CU	Cut	RP, Replace
ME	Existing Manufacturing Defect	RP, Replace
MS	Missing / Lost	RP, Replace
CD	Consequential/ Combined Damage	GS, Straighten
CO	Corroded/ Rusty	RP, Replace
CT	Contaminated	RP, Replace
CU	Cut	RP, Replace
DT	Dent / Bent	GS, Straighten
IR	Improper / Non-conforming repair	GS, Straighten
LO	Loose	RE, Resecure
ME	Existing Manufacturing Defect	RE, Resecure
MS	Missing / Lost	RP, Replace
OD	Out-of-date	MK, Remark
RA	Remove For Access	RR, Remove and refit after repair
CD	Consequential/ Combined Damage	RP, Replace
CT	Contaminated	RP, Replace
CU	Cut	RP, Replace
IR	Improper / Non-conforming repair	RP, Replace
LO	Loose	RP, Replace
ME	Existing Manufacturing Defect	RP, Replace
MS	Missing / Lost	RP, Replace
BN	Burned	RP, Replace
CD	Consequential/ Combined Damage	RP, Replace
CT	Contaminated	RP, Replace
CU	Cut	RP, Replace
IR	Improper / Non-conforming repair	RP, Replace
LO	Loose	RP, Replace
ME	Existing Manufacturing Defect	RP, Replace
MS	Missing / Lost	RP, Replace
RC	Conversion Required	MK, Remark
BN	Burned	RP, Replace
CD	Consequential/ Combined Damage	RP, Replace

Revised: May 15, 2022

Damage Code	Damage Code Description	Repair Codes
CT	Contaminated	RP, Replace
CU	Cut	RP, Replace
IR	Improper / Non-conforming repair	RP, Replace
LO	Loose	RP, Replace
ME	Existing Manufacturing Defect	RP, Replace
MS	Missing / Lost	RP, Replace
ME	Existing Manufacturing Defect	RP, Replace
BN	Burned	IT, Insert
CD	Consequential/ Combined Damage	GS, Straighten
CK	Cracked	GW, Straighten and weld
CO	Corroded/ Rusty	IT, Insert
CT	Contaminated	CC, Chemical clean
CU	Cut	GW, Straighten and weld
DT	Dent / Bent	GS, Straighten
DY	Dirty	CC, Chemical clean
GD	Gouged / Scratched	PS, Surface Prep and paint
IR	Improper / Non-conforming repair	GS, Straighten
ME	Existing Manufacturing Defect	IT, Insert
ML	Markings/ Labels	GT, Remove glue and tape
MX	Misuse(IICL TB 018)	CC, Chemical clean
NI	Not within ISO dimensions	GS, Straighten
PF	Paint failure	PS, Surface Prep and paint
CD	Consequential/ Combined Damage	GS, Straighten
CO	Corroded/ Rusty	IT, Insert
CU	Cut	GW, Straighten and weld
DT	Dent / Bent	GS, Straighten
IR	Improper / Non-conforming repair	GS, Straighten
ME	Existing Manufacturing Defect	WD, Weld
NI	Not within ISO dimensions	GS, Straighten
CD	Consequential/ Combined Damage	GS, Straighten
CK	Cracked	RP, Replace
CO	Corroded/ Rusty	RP, Replace
CU	Cut	RP, Replace
DT	Dent / Bent	RA, Realign
IR	Improper / Non-conforming repair	PS, Surface Prep and paint
ME	Existing Manufacturing Defect	RP, Replace
CD	Consequential/ Combined Damage	GS, Straighten
CO	Corroded/ Rusty	RP, Replace
CU	Cut	GW, Straighten and weld
DT	Dent / Bent	GS, Straighten
IR	Improper / Non-conforming repair	GS, Straighten
ME	Existing Manufacturing Defect	RP, Replace

Revised: May 15, 2022

Damage Code	Damage Code Description	Repair Codes
MS	Missing / Lost	RP, Replace
BR	Broken/Split	RP, Replace
CD	Consequential/ Combined Damage	RA, Realign
CK	Cracked	RP, Replace
CO	Corroded/ Rusty	RP, Replace
CU	Cut	RP, Replace
DT	Dent / Bent	RP, Replace
IR	Improper / Non-conforming repair	WD, Weld
ME	Existing Manufacturing Defect	WD, Weld
MX	Misuse(IICL TB 018)	RP, Replace
NI	Not within ISO dimensions	RP, Replace
CD	Consequential/ Combined Damage	GS, Straighten
CO	Corroded/ Rusty	PS, Surface Prep and paint
CU	Cut	RP, Replace
DT	Dent / Bent	GS, Straighten
IR	Improper / Non-conforming repair	GW, Straighten and weld
ME	Existing Manufacturing Defect	WD, Weld
BR	Broken/Split	RP, Replace
CD	Consequential/ Combined Damage	RA, Realign
CK	Cracked	RP, Replace
CO	Corroded/ Rusty	RP, Replace
CU	Cut	RP, Replace
DT	Dent / Bent	RP, Replace
IR	Improper / Non-conforming repair	WD, Weld
ME	Existing Manufacturing Defect	WD, Weld
MX	Misuse(IICL TB 018)	RP, Replace
NI	Not within ISO dimensions	RP, Replace
CD	Consequential/ Combined Damage	GS, Straighten
CK	Cracked	GW, Straighten and weld
CO	Corroded/ Rusty	IT, Insert
CT	Contaminated	MC, Mechanical Cleaning (Sweep, scrap off paint)
CU	Cut	GW, Straighten and weld
DT	Dent / Bent	GS, Straighten
IR	Improper / Non-conforming repair	GS, Straighten
ME	Existing Manufacturing Defect	PS, Surface Prep and paint
NI	Not within ISO dimensions	GS, Straighten
CD	Consequential/ Combined Damage	GS, Straighten
CK	Cracked	GW, Straighten and weld
CO	Corroded/ Rusty	IT, Insert
CT	Contaminated	MC, Mechanical Cleaning (Sweep, scrap off paint)
CU	Cut	GW, Straighten and weld
DT	Dent / Bent	GS, Straighten
IR	Improper / Non-conforming repair	GS, Straighten

Revised: May 15, 2022

Damage Code	Damage Code Description	Repair Codes
ME	Existing Manufacturing Defect	PS, Surface Prep and paint
NI	Not within ISO dimensions	GS, Straighten
CD	Consequential/ Combined Damage	GS, Straighten
CK	Cracked	GW, Straighten and weld
CO	Corroded/ Rusty	IT, Insert
CT	Contaminated	MC, Mechanical Cleaning (Sweep, scrap off paint)
CU	Cut	GW, Straighten and weld
DT	Dent / Bent	GS, Straighten
IR	Improper / Non-conforming repair	GS, Straighten
ME	Existing Manufacturing Defect	PS, Surface Prep and paint
NI	Not within ISO dimensions	GS, Straighten
CD	Consequential/ Combined Damage	GS, Straighten
CK	Cracked	GW, Straighten and weld
CO	Corroded/ Rusty	IT, Insert
CT	Contaminated	MC, Mechanical Cleaning (Sweep, scrap off paint)
CU	Cut	GW, Straighten and weld
DT	Dent / Bent	GS, Straighten
IR	Improper / Non-conforming repair	GS, Straighten
ME	Existing Manufacturing Defect	PS, Surface Prep and paint
NI	Not within ISO dimensions	GS, Straighten
CD	Consequential/ Combined Damage	GS, Straighten
CK	Cracked	GW, Straighten and weld
CO	Corroded/ Rusty	RP, Replace
CU	Cut	GW, Straighten and weld
DT	Dent / Bent	GS, Straighten
IR	Improper / Non-conforming repair	GS, Straighten
ME	Existing Manufacturing Defect	WD, Weld
BW	Bowed	GS, Straighten
CD	Consequential/ Combined Damage	GS, Straighten
CK	Cracked	GW, Straighten and weld
CO	Corroded/ Rusty	IT, Insert
CT	Contaminated	PS, Surface Prep and paint
CU	Cut	GW, Straighten and weld
DT	Dent / Bent	GS, Straighten
IR	Improper / Non-conforming repair	GS, Straighten
ME	Existing Manufacturing Defect	PS, Surface Prep and paint
NI	Not within ISO dimensions	GS, Straighten
BW	Bowed	IT, Insert
CD	Consequential/ Combined Damage	IT, Insert
CK	Cracked	GW, Straighten and weld
CO	Corroded/ Rusty	IT, Insert
CT	Contaminated	RP, Replace
CU	Cut	GW, Straighten and weld

Revised: May 15, 2022

Damage Code	Damage Code Description	Repair Codes
DT	Dent / Bent	IT, Insert
IR	Improper / Non-conforming repair	GS, Straighten
ME	Existing Manufacturing Defect	PS, Surface Prep and paint
NI	Not within ISO dimensions	IT, Insert
BW	Bowed	GS, Straighten
CD	Consequential/ Combined Damage	GS, Straighten
CK	Cracked	GW, Straighten and weld
CO	Corroded/ Rusty	IT, Insert
CT	Contaminated	PS, Surface Prep and paint
CU	Cut	GW, Straighten and weld
DT	Dent / Bent	GS, Straighten
IR	Improper / Non-conforming repair	GS, Straighten
ME	Existing Manufacturing Defect	WD, Weld
NI	Not within ISO dimensions	GS, Straighten
BW	Bowed	GS, Straighten
CD	Consequential/ Combined Damage	GS, Straighten
CK	Cracked	GW, Straighten and weld
CO	Corroded/ Rusty	IT, Insert
CT	Contaminated	CC, Chemical clean
CU	Cut	GW, Straighten and weld
DT	Dent / Bent	GS, Straighten
IR	Improper / Non-conforming repair	GS, Straighten
ME	Existing Manufacturing Defect	PS, Surface Prep and paint
NI	Not within ISO dimensions	GS, Straighten
BN	Burned	RP, Replace
BR	Broken/Split	RP, Replace
CD	Consequential/ Combined Damage	RP, Replace
CK	Cracked	RP, Replace
IR	Improper / Non-conforming repair	RE, Resecure
ME	Existing Manufacturing Defect	RE, Resecure
MS	Missing / Lost	RP, Replace
RA	Remove For Access	RR, Remove and refit after repair

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

Revised: May 15, 2022

**Damage
Code**

Damage Code Description

Repair Codes

RP, Replace

RR, Remove and refit after repair

RP, Replace

RP, Replace

IT, Insert

IT, Insert

PS, Surface Prep and paint

RP, Replace

IT, Insert

IT, Insert

GW, Straighten and weld

WD, Weld

RP, Replace

RP, Replace

RP, Replace

SC, Steam clean

RP, Replace

RP, Replace

IT, Insert

RP, Replace

RP, Replace

RP, Replace

RP, Replace

IT, Insert

IT, Insert

PS, Surface Prep and paint

SC, Steam clean

IT, Insert

IT, Insert

GW, Straighten and weld

WD, Weld

RP, Replace

RP, Replace

RP, Replace

WW, Water Wash

RP, Replace

RP, Replace

IT, Insert

RP, Replace

RP, Replace

RP, Replace

IT, Insert

IT, Insert

PS, Surface Prep and paint

IT, Insert

IT, Insert

IT, Insert

GW, Straighten and weld

SE, Seal/reseal

GW, Straighten and weld

RP, Replace

RP, Replace

RP, Replace

RP, Replace

RP, Replace

RP, Replace

IT, Insert

WD, Weld

IT, Insert

GW, Straighten and weld	IT, Insert
IT, Insert	RP, Replace
IT, Insert	RP, Replace
PS, Surface Prep and paint	RC, Recondition/ refurbish
IT, Insert	RP, Replace
IT, Insert	RP, Replace
IT, Insert	RP, Replace
GW, Straighten and weld	IT, Insert
SE, Seal/reseal	WD, Weld
GW, Straighten and weld	IT, Insert
GW, Straighten and weld	IT, Insert
RP, Replace	WD, Weld
WD, Weld	
RP, Replace	
RP, Replace	WD, Weld
RP, Replace	
RP, Replace	WD, Weld
GW, Straighten and weld	PS, Surface Prep and paint
WD, Weld	
IT, Insert	RP, Replace
IT, Insert	RP, Replace
PS, Surface Prep and paint	RP, Replace
IT, Insert	RP, Replace
IT, Insert	RP, Replace
GW, Straighten and weld	IT, Insert
IT, Insert	PS, Surface Prep and paint
GW, Straighten and weld	IT, Insert
RP, Replace	WD, Weld
RP, Replace	WD, Weld
PS, Surface Prep and paint	RP, Replace
RP, Replace	WD, Weld
RP, Replace	
IT, Insert	PS, Surface Prep and paint
IT, Insert	PS, Surface Prep and paint
IT, Insert	RP, Replace
IT, Insert	RP, Replace
PS, Surface Prep and paint	RP, Replace
IT, Insert	RP, Replace
IT, Insert	RP, Replace
IT, Insert	RP, Replace
IT, Insert	RP, Replace
GW, Straighten and weld	IT, Insert
WD, Weld	
RP, Replace	WD, Weld

RP, Replace	WD, Weld
RP, Replace	WD, Weld
RP, Replace	WD, Weld
RP, Replace	
RP, Replace	WD, Weld
GW, Straighten and weld	PS, Surface Prep and paint
PS, Surface Prep and paint	WD, Weld
RP, Replace	RR, Remove and refit after repair
RP, Replace	
PS, Surface Prep and paint	RP, Replace
GS, Straighten	SC, Steam clean
RC, Recondition/ refurbish	RP, Replace
RC, Recondition/ refurbish	RP, Replace
PS, Surface Prep and paint	RP, Replace
PS, Surface Prep and paint	RP, Replace
RP, Replace	
PS, Surface Prep and paint	RP, Replace
RE, Resecure	RP, Replace
WD, Weld	
RP, Replace	RR, Remove and refit after repair
RR, Remove and refit after repair	RS, Straighten and Resecure
RP, Replace	RR, Remove and refit after repair
RP, Replace	RS, Straighten and Resecure
RE, Resecure	RP, Replace
RP, Replace	

RE, Resecure

RP, Replace

RP, Replace
RE, Resecure

RS, Straighten and Resecure
RP, Replace

RP, Replace

RR, Remove and refit after repair

RP, Replace
RP, Replace
GW, Straighten and weld
RP, Replace

WD, Weld
PS, Surface Prep and paint

WD, Weld
WD, Weld

RP, Replace
RP, Replace
RP, Replace

RR, Remove and refit after repair

IT, Insert
IT, Insert
PS, Surface Prep and paint
IT, Insert
IT, Insert
GW, Straighten and weld
WD, Weld
IT, Insert
IT, Insert
PS, Surface Prep and paint
IT, Insert

RP, Replace
SN, Section
RP, Replace
RP, Replace
RP, Replace
IT, Insert
RP, Replace
RP, Replace
RP, Replace
RP, Replace
RP, Replace

IT, Insert	RP, Replace
GW, Straighten and weld	IT, Insert
WD, Weld	RP, Replace
IT, Insert	RP, Replace
IT, Insert	RP, Replace
PS, Surface Prep and paint	RP, Replace
IT, Insert	RP, Replace
IT, Insert	RP, Replace
GW, Straighten and weld	IT, Insert
WD, Weld	RP, Replace
IT, Insert	RP, Replace
IT, Insert	RP, Replace
PS, Surface Prep and paint	RP, Replace
IT, Insert	RP, Replace
IT, Insert	RP, Replace
GW, Straighten and weld	IT, Insert
WD, Weld	RP, Replace
IT, Insert	RP, Replace
IT, Insert	RP, Replace
PS, Surface Prep and paint	RP, Replace
IT, Insert	RP, Replace
IT, Insert	RP, Replace
GW, Straighten and weld	PS, Surface Prep and paint
PS, Surface Prep and paint	SN, Section
RP, Replace	
IT, Insert	RP, Replace
IT, Insert	
PS, Surface Prep and paint	RP, Replace
RP, Replace	SC, Steam clean
IT, Insert	
IT, Insert	
GW, Straighten and weld	RP, Replace
WD, Weld	IT, Insert
IT, Insert	
RP, Replace	RP, Replace
SD, Sand	SN, Section
SN, Section	
RP, Replace	RR, Remove and refit after repair
RP, Replace	SC, Steam clean
WP, Sweep	
SD, Sand	SN, Section
SC, Steam clean	WP, Sweep
SD, Sand	SN, Section

SN, Section	
PS, Surface Prep and paint	RE, Resecure
SE, Seal/reseal	SN, Section
PS, Surface Prep and paint	RP, Replace
RP, Replace	SC, Steam clean
RP, Replace	SC, Steam clean
SC, Steam clean	WW, Water Wash
SN, Section	
IT, Insert	RP, Replace
IT, Insert	RP, Replace
IT, Insert	RP, Replace
WD, Weld	
IT, Insert	RP, Replace
IT, Insert	RP, Replace
GW, Straighten and weld	IT, Insert
GW, Straighten and weld	RP, Replace
RP, Replace	WD, Weld
RP, Replace	WD, Weld
RP, Replace	WD, Weld
RP, Replace	WD, Weld
RP, Replace	
PS, Surface Prep and paint	WD, Weld
WD, Weld	
GW, Straighten and weld	RP, Replace
RP, Replace	
IT, Insert	RP, Replace
IT, Insert	WD, Weld
PS, Surface Prep and paint	RP, Replace
RP, Replace	SC, Steam clean
IT, Insert	RP, Replace
IT, Insert	RP, Replace
GW, Straighten and weld	IT, Insert
IT, Insert	
RP, Replace	
GW, Straighten and weld	RP, Replace
IT, Insert	RP, Replace
IT, Insert	RP, Replace

RP, Replace	WD, Weld
IT, Insert	RP, Replace
IT, Insert	RP, Replace
GW, Straighten and weld	IT, Insert
WD, Weld	RP, Replace
SD, Sand	SN, Section
SN, Section	
RP, Replace	RR, Remove and refit after repair
RP, Replace	SC, Steam clean
WP, Sweep	
SD, Sand	SN, Section
SC, Steam clean	WP, Sweep
SD, Sand	SN, Section
SN, Section	
PS, Surface Prep and paint	RE, Resecure
SE, Seal/reseal	SN, Section
PS, Surface Prep and paint	RP, Replace
RP, Replace	SC, Steam clean
RP, Replace	SC, Steam clean
SC, Steam clean	WW, Water Wash
SN, Section	
IT, Insert	RP, Replace
IT, Insert	SN, Section
RP, Replace	WD, Weld
IT, Insert	SN, Section
IT, Insert	SN, Section
GW, Straighten and weld	IT, Insert
PS, Surface Prep and paint	WD, Weld
IT, Insert	PS, Surface Prep and paint
IT, Insert	
IT, Insert	SN, Section
PS, Surface Prep and paint	RP, Replace
MC, Mechanical Cleaning (Sweep, scrap off pai	PS, Surface Prep and paint
IT, Insert	RP, Replace
IT, Insert	RP, Replace
GW, Straighten and weld	IT, Insert
WD, Weld	
GW, Straighten and weld	PS, Surface Prep and paint
SN, Section	
RE, Resecure	RP, Replace

SN, Section

RP, Replace

RE, Resecure

RP, Replace

RS, Straighten and Resecure

SN, Section

PT, Patch

PT, Patch

PT, Patch

PT, Patch

RP, Replace

RE, Resecure

RP, Replace

RE, Resecure

RE, Resecure

IT, Insert

IT, Insert

PS, Surface Prep and paint

IT, Insert

IT, Insert

IT, Insert

GW, Straighten and weld

SE, Seal/reseal

IT, Insert

PT, Patch

PT, Patch

PT, Patch

PT, Patch

PT, Patch

PT, Patch

IT, Insert

WD, Weld

PT, Patch

RP, Replace

RP, Replace

RP, Replace

RP, Replace

RP, Replace

GW, Straighten and weld

SE, Seal/reseal

RR, Remove and refit after repair

WD, Weld

WD, Weld

PS, Surface Prep and paint

WD, Weld

RP, Replace

RP, Replace
SE, Seal/reseal

RP, Replace

RR, Remove and refit after repair

RP, Replace
RP, Replace
PS, Surface Prep and paint

WD, Weld
RE, Resecure

RP, Replace

WD, Weld

RP, Replace
SN, Section

WD, Weld

RP, Replace

RS, Straighten and Resecure

RP, Replace
RP, Replace
GW, Straighten and weld

WD, Weld
RS, Straighten and Resecure
RS, Straighten and Resecure

RP, Replace

RS, Straighten and Resecure

RP, Replace

RS, Straighten and Resecure

GS, Straighten

RS, Straighten and Resecure

RP, Replace
RP, Replace

WD, Weld
WD, Weld

RP, Replace	WD, Weld
RP, Replace	
GW, Straighten and weld	WD, Weld
RP, Replace	
RP, Replace	WD, Weld
SN, Section	WD, Weld
SN, Section	
RP, Replace	SN, Section
RP, Replace	SN, Section
GS, Straighten	GW, Straighten and weld
WD, Weld	

RR, Remove and refit after repair	WD, Weld
RP, Replace	WD, Weld

RP, Replace	WD, Weld
RP, Replace	
WD, Weld	RP, Replace
RP, Replace	

RP, Replace	WD, Weld
RP, Replace	WD, Weld

RP, Replace	WD, Weld
RP, Replace	
GW, Straighten and weld	RM, Remove (without re-placement)
WD, Weld	

RP, Replace

RC, Recondition/ refurbish

SC, Steam clean

WW, Water Wash

RC, Recondition/ refurbish

RC, Recondition/ refurbish

PS, Surface Prep and paint

WP, Sweep

SC, Steam clean

RC, Recondition/ refurbish

RC, Recondition/ refurbish

WP, Sweep

RD, Remove and dispose

PS, Surface Prep and paint

SC, Steam clean

RC, Recondition/ refurbish

RC, Recondition/ refurbish

PS, Surface Prep and paint

RP, Replace

RD, Remove and dispose

WW, Water Wash

RP, Replace

RC, Recondition/ refurbish

WW, Water Wash

RC, Recondition/ refurbish

PA, Paint

PS, Surface Prep and paint

PS, Surface Prep and paint

RP, Replace

SC, Steam clean

MC, Mechanical Cleaning (Sweep, scrap off paint)

RE, Resecure

RP, Replace

RP, Replace
RE, Resecure

RR, Remove and refit after repair
RR, Remove and refit after repair

SE, Seal/reseal

RP, Replace

MK, Remark

PS, Surface Prep and paint

IT, Insert

IT, Insert

PS, Surface Prep and paint

PS, Surface Prep and paint

IT, Insert

IT, Insert

SC, Steam clean

RC, Recondition/ refurbish

GW, Straighten and weld

PS, Surface Prep and paint

PS, Surface Prep and paint

GS, Straighten

GW, Straighten and weld

RC, Recondition/ refurbish

RP, Replace

PS, Surface Prep and paint

IT, Insert

IT, Insert

GW, Straighten and weld

RP, Replace

GW, Straighten and weld

RP, Replace

RP, Replace

RP, Replace

RP, Replace

RP, Replace

RP, Replace

GW, Straighten and weld

PT, Patch

PT, Patch

PT, Patch

PT, Patch

RC, Recondition/ refurbish

PT, Patch

PT, Patch

WW, Water Wash

IT, Insert

PT, Patch

RM, Remove (without re-placement)

GW, Straighten and weld

IT, Insert

WD, Weld

PT, Patch

PT, Patch

PT, Patch

IT, Insert

IT, Insert

PS, Surface Prep and paint

RP, Replace

RR, Remove and refit after repair

RP, Replace

RP, Replace

WD, Weld

RP, Replace

WD, Weld

WD, Weld

RP, Replace

PS, Surface Prep and paint

WD, Weld

RP, Replace

RP, Replace

RR, Remove and refit after repair

RP, Replace

IT, Insert

RP, Replace

IT, Insert

RP, Replace

PS, Surface Prep and paint

RP, Replace

PS, Surface Prep and paint

RP, Replace

IT, Insert

RP, Replace

IT, Insert

RP, Replace

GW, Straighten and weld

IT, Insert

WD, Weld

GW, Straighten and weld

IT, Insert

IT, Insert

RP, Replace

IT, Insert

RP, Replace

PS, Surface Prep and paint

RP, Replace

PS, Surface Prep and paint

RP, Replace

IT, Insert

RP, Replace

IT, Insert

RP, Replace

GW, Straighten and weld

IT, Insert

WD, Weld	
GW, Straighten and weld	IT, Insert
IT, Insert	RP, Replace
IT, Insert	RP, Replace
PS, Surface Prep and paint	RP, Replace
PS, Surface Prep and paint	RP, Replace
IT, Insert	RP, Replace
IT, Insert	RP, Replace
GW, Straighten and weld	IT, Insert
WD, Weld	
GW, Straighten and weld	IT, Insert
IT, Insert	RP, Replace
IT, Insert	RP, Replace
PS, Surface Prep and paint	RP, Replace
PS, Surface Prep and paint	RP, Replace
IT, Insert	RP, Replace
IT, Insert	RP, Replace
GW, Straighten and weld	IT, Insert
WD, Weld	
GW, Straighten and weld	IT, Insert
RP, Replace	
RP, Replace	WD, Weld
WD, Weld	
RP, Replace	WD, Weld
RP, Replace	
GW, Straighten and weld	WD, Weld
RP, Replace	
GW, Straighten and weld	IT, Insert
IT, Insert	RP, Replace
IT, Insert	RP, Replace
PS, Surface Prep and paint	RP, Replace
RP, Replace	SN, Section
IT, Insert	RP, Replace
IT, Insert	RP, Replace
GW, Straighten and weld	IT, Insert
WD, Weld	
GW, Straighten and weld	IT, Insert
RP, Replace	
RP, Replace	WD, Weld
IT, Insert	RP, Replace
PS, Surface Prep and paint	RP, Replace
IT, Insert	
	RP, Replace

RP, Replace	
GW, Straighten and weld	IT, Insert
WD, Weld	
RP, Replace	
GW, Straighten and weld	IT, Insert
IT, Insert	RP, Replace
IT, Insert	RP, Replace
PS, Surface Prep and paint	RP, Replace
RP, Replace	SN, Section
IT, Insert	RP, Replace
IT, Insert	RP, Replace
GW, Straighten and weld	IT, Insert
GW, Straighten and weld	IT, Insert
GW, Straighten and weld	IT, Insert
IT, Insert	RP, Replace
IT, Insert	RP, Replace
PS, Surface Prep and paint	RP, Replace
PS, Surface Prep and paint	RP, Replace
IT, Insert	RP, Replace
IT, Insert	RP, Replace
GW, Straighten and weld	IT, Insert
WD, Weld	
GW, Straighten and weld	IT, Insert
RR, Remove and refit after repair	SE, Seal/reseal
SE, Seal/reseal	RP, Replace
SE, Seal/reseal	RP, Replace
SE, Seal/reseal	

WD, Weld
WD, Weld

WW, Water Wash
WD, Weld

PS, Surface Prep and paint

WD, Weld
WD, Weld

WD, Weld

PS, Surface Prep and paint

WD, Weld
WD, Weld
WD, Weld
WD, Weld

WD, Weld
PS, Surface Prep and paint
RP, Replace
PS, Surface Prep and paint

RP, Replace

WD, Weld

WD, Weld

RP, Replace

WD, Weld

WD, Weld

PS, Surface Prep and paint

PS, Surface Prep and paint

RP, Replace

WD, Weld

WD, Weld

WD, Weld

WD, Weld

WD, Weld

PS, Surface Prep and paint

WD, Weld

RP, Replace

WD, Weld

WD, Weld

WD, Weld

WD, Weld

WD, Weld

SN, Section

SN, Section

SN, Section

PS, Surface Prep and paint

WD, Weld

WD, Weld

SC, Steam clean

SC, Steam clean

RR, Remove and refit after repair

RP, Replace

RS, Straighten and Resecure

RR, Remove and refit after repair

GW, Straighten and weld

WD, Weld

SE, Seal/reseal

WD, Weld

SN, Section

SN, Section

SN, Section

PS, Surface Prep and paint

SN, Section

SN, Section

SN, Section

SN, Section

SN, Section

PS, Surface Prep and paint

SE, Seal/reseal

SN, Section

SN, Section

SN, Section

SN, Section

PS, Surface Prep and paint

SE, Seal/reseal

SN, Section

WD, Weld

SN, Section

SN, Section

PS, Surface Prep and paint

RR, Remove and refit after repair

SN, Section

WD, Weld

SN, Section

SN, Section

SN, Section

WD, Weld

WD, Weld

WW, Water Wash

PS, Surface Prep and paint

SE, Seal/reseal

SD, Sand

WW, Water Wash

RR, Remove and refit after repair

SC, Steam clean

SD, Sand

SD, Sand

WD, Weld

WD, Weld

WD, Weld

PS, Surface Prep and paint

WD, Weld

RP, Replace

WD, Weld

WD, Weld

WW, Water Wash

PS, Surface Prep and paint

WD, Weld

WD, Weld

WD, Weld

PS, Surface Prep and paint

SE, Seal/reseal

SD, Sand

WW, Water Wash

RR, Remove and refit after repair

SC, Steam clean

SD, Sand

SD, Sand

RR, Remove and refit after repair

WD, Weld

WD, Weld

PS, Surface Prep and paint

RP, Replace

RP, Replace

WD, Weld

WD, Weld

RP, Replace

SN, Section

SN, Section

PS, Surface Prep and paint

RP, Replace

RR, Remove and refit after repair

SN, Section
RP, Replace

RP, Replace
SE, Seal/reseal
SE, Seal/reseal
RP, Replace

RP, Replace
WD, Weld
RP, Replace
RP, Replace
RP, Replace
RP, Replace
PS, Surface Prep and paint

RP, Replace

SE, Seal/reseal

SE, Seal/reseal

RP, Replace

RP, Replace

RP, Replace

RP, Replace

RP, Replace

WD, Weld

SN, Section

WD, Weld

RP, Replace

WW, Water Wash

RC, Recondition/ refurbish
DO, Deodorise

RP, Replace

RM, Remove (without re-placement)

RR, Remove and refit after repair

RS, Straighten and Resecure

RS, Straighten and Resecure

RC, Recondition/ refurbish
RP, Replace
RP, Replace
RC, Recondition/ refurbish
RP, Replace
RP, Replace
RP, Replace

PS, Surface Prep and paint
SE, Seal/reseal

IT, Insert
PT, Patch

RP, Replace
RP, Replace
RP, Replace
PS, Surface Prep and paint

PT, Patch

RP, Replace

RP, Replace

SN, Section

SN, Section

WD, Weld

SN, Section

SN, Section

SN, Section

PS, Surface Prep and paint

RP, Replace

SN, Section

SN, Section

WD, Weld

SN, Section

SN, Section

SN, Section

PS, Surface Prep and paint

RP, Replace
SN, Section
SN, Section
WD, Weld
SN, Section
SN, Section
SN, Section
SN, Section
PS, Surface Prep and paint

RP, Replace
SN, Section
SN, Section
WD, Weld
SN, Section
SN, Section
SN, Section
PS, Surface Prep and paint

RP, Replace

RP, Replace

RP, Replace
SN, Section
SN, Section
WD, Weld

SE, Seal/reseal
SN, Section
PS, Surface Prep and paint

RP, Replace

WD, Weld
WD, Weld

WD, Weld

PS, Surface Prep and paint

RP, Replace

SN, Section

SN, Section

WD, Weld

SN, Section

SN, Section

PS, Surface Prep and paint

RP, Replace

RP, Replace

SN, Section

SN, Section

WD, Weld

SN, Section

SN, Section

SN, Section

PS, Surface Prep and paint

RP, Replace

PS, Surface Prep and paint

RP, Replace

PS, Surface Prep and paint

RP, Replace

WD, Weld

RP, Replace

WD, Weld

WD, Weld

RP, Replace

RP, Replace

WD, Weld

RP, Replace

WD, Weld

SN, Section

RP, Replace

RS, Straighten and Resecure

RS, Straighten and Resecure

WD, Weld

RP, Replace

SN, Section

WD, Weld

WD, Weld

SN, Section

WD, Weld

WD, Weld

WD, Weld

SN, Section

SN, Section

SN, Section

WD, Weld

WD, Weld

WD, Weld

SN, Section

SN, Section

WD, Weld

SN, Section

WD, Weld

SN, Section

SN, Section

WD, Weld

WD, Weld

WD, Weld

WD, Weld

SN, Section

SN, Section

SD, Sand

SD, Sand
SN, Section
SN, Section

WD, Weld

WD, Weld

WD, Weld

SN, Section
SN, Section

SD, Sand

SD, Sand
SN, Section
SN, Section

SN, Section

SN, Section

SN, Section
SN, Section

SN, Section
WD, Weld

SN, Section

SN, Section

RS, Straighten and Resecure

RR, Remove and refit after repair

SN, Section

SN, Section

SE, Seal/reseal

SE, Seal/reseal

WD, Weld

WD, Weld

WD, Weld

PT, Patch

WD, Weld

WD, Weld

RP, Replace

SC, Steam clean

SC, Steam clean

PA, Paint

RS, Straighten and Resecure

SE, Seal/reseal

RP, Replace
SE, Seal/reseal
SN, Section
RP, Replace
SC, Steam clean
SN, Section
SN, Section

PT, Patch
SN, Section

PS, Surface Prep and paint
RP, Replace

WD, Weld
WD, Weld

PT, Patch

RP, Replace

WD, Weld
WD, Weld
SN, Section

WD, Weld

SN, Section

SN, Section
WD, Weld
WD, Weld
SN, Section

WD, Weld

SN, Section

SN, Section
WD, Weld
WD, Weld
SN, Section

WD, Weld

SN, Section

SN, Section
WD, Weld
WD, Weld
SN, Section

WD, Weld

SN, Section

SN, Section

SN, Section
WD, Weld
WD, Weld

SN, Section

SN, Section

SN, Section

WD, Weld

SN, Section

WD, Weld

WD, Weld

WD, Weld

SN, Section

SN, Section

SN, Section

WD, Weld

WD, Weld

WD, Weld

SN, Section

SN, Section

RP, Replace

WD, Weld

RP, Replace

WD, Weld

RP, Replace

WD, Weld

RP, Replace

WD, Weld

WD, Weld

WD, Weld

RP, Replace

WD, Weld

WD, Weld

RP, Replace

WD, Weld

WD, Weld

RP, Replace

WD, Weld

WD, Weld

RP, Replace

WD, Weld

RP, Replace

RP, Replace

SE, Seal/reseal

SN, Section

SN, Section

WW, Water Wash

WW, Water Wash

DO, Deodorise

RP, Replace

RP, Replace

RP, Replace

SE, Seal/reseal

SN, Section

SN, Section

WW, Water Wash

WW, Water Wash

DO, Deodorise

WD, Weld

WD, Weld

RP, Replace

WD, Weld

WD, Weld

RP, Replace

SN, Section

SN, Section

RP, Replace
SN, Section

WD, Weld

SE, Seal/reseal

WD, Weld

RP, Replace

WW, Water Wash

WW, Water Wash

SE, Seal/reseal

RP, Replace

SN, Section
SN, Section
WD, Weld
WD, Weld
SN, Section
WD, Weld

WD, Weld

WW, Water Wash

RC, Recondition/ refurbish
WD, Weld

SD, Sand
RP, Replace

PT, Patch
SN, Section

RP, Replace

SN, Section

WD, Weld

WD, Weld

RP, Replace

WD, Weld

RP, Replace

WD, Weld

RP, Replace

WD, Weld

RP, Replace

WD, Weld

WD, Weld

RP, Replace

RP, Replace

WD, Weld

RP, Replace

WD, Weld

RP, Replace

RP, Replace

RP, Replace

RP, Replace

SE, Seal/reseal

SC, Steam clean

RP, Replace



SN, Section

WD, Weld

SN, Section

WD, Weld



RP, Replace



